

Third Semester B.E. Degree Examination, Dec.2017/Jan.2018

Engineering Electromagnetics

Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions, choosing one full question from each module.

Module-1

- 1 a. State and explain Coulomb's law in vector form. (05 Marks)
- b. Find the electric field \vec{E} at origin, if the following charge distributions are present in free space:
- Point charge 12 nC at P(2, 0, 6).
 - Uniform line charge of linear charge density 3 nC/m at $x = 2, y = 3$.
 - Uniform surface charge of density $P_s = 0.2 \text{ nC/m}^2$ at $x = 2$. (06 Marks)
- c. Define volume charge density. Also find the total charge within each of the indicated volumes.
- $0 \leq \rho \leq 0.1, 0 \leq \phi \leq \pi, 2 \leq z \leq 4; \rho_v = \rho^2 z^2 \sin(0.6\phi)$
 - Universe : $\rho_v = \frac{e^{-2r}}{r^2}$ (05 Marks)

OR

- 2 a. Define Electric flux and flux density. (04 Marks)
- b. Given a 60 μC point charge located at the origin, find the total electric flux passing through:
- That portion of the sphere $\gamma = 26 \text{ cm}$ bounded by $0 < \theta < \frac{\pi}{2}$ and $0 < \phi < \frac{\pi}{2}$.
 - The closed surface defined by $\rho = 26 \text{ cm}$ and $z = \pm 26 \text{ cm}$.
 - The plane $z = 26 \text{ cm}$. (07 Marks)
- c. Derive the expression for \vec{E} due to infinite line charge of charge density $\rho_L \text{ (C/m)}$. (05 Marks)

Module-2

- 3 a. State and prove Gauss law for point charge. (05 Marks)
- b. State and prove divergence theorem. (05 Marks)
- c. In each of the following parts, find value for $\text{div } \vec{D}$ at the point specified:
- $\vec{D} = (2xyz - y^2)\vec{a}_x + (x^2z - 2xy)\vec{a}_y + x^2y\vec{a}_z \text{ C/m}^2$ at $P_A(2, 3, -1)$.
 - $\vec{D} = 2\rho z^2 \sin^2 \phi \vec{a}_\rho + \rho z^2 \sin 2\phi \vec{a}_\phi + 2\rho^2 z \sin^2 \phi \vec{a}_z \text{ C/m}^2$ at $P_B(\rho = 2, \phi = 110^\circ, z = -1)$. (06 Marks)

OR

- 4 a. Define potential difference and absolute potential. (04 Marks)
- b. A point charge of 6 nC is located at origin in free space, find potential of point p, if p is located at (0.2, -0.4, 0.4) and
- $V = 0$ at infinity
 - $V = 0$ at (1, 0, 0)
 - $V = 20 \text{ V}$ at (-0.5, 1, -1) (06 Marks)
- c. Derive point form of continuity equation for current. (06 Marks)

Module-3

- 5 a. Derive the expression for Poisson's and Laplace's equation. (05 Marks)
 b. Two plates of parallel plate capacitors are separated by distance 'd' and maintained at potential zero and V_0 respectively. Assuming negligible fringing effect, determine potential at any point between the plates. (06 Marks)
 c. State and prove uniqueness theorem. (05 Marks)

OR

- 6 a. State and explain Biot-Savart law. (06 Marks)
 b. Find the magnetic flux density at the centre 'O' of a square of sides equal to 5m and carrying 10 amperes of current. (06 Marks)
 c. At a point p(x, y, z), the components of vector magnetic potential \vec{A} are given as $A_x = 4x + 3y + 2z$, $A_y = 5x + 6y + 3z$ and $A_z = 2x + 3y + 5z$. Determine \vec{B} at point P. (04 Marks)

Module-4

- 7 a. Derive Lorentz force equation. (05 Marks)
 b. Derive an expression for the force on a differential current element placed in a magnetic field. (06 Marks)
 c. A conductor 4m long lies along the y-axis with a current of 10 amps in the \vec{a}_y direction. Find the force on the conductor if the field is $\vec{B} = 0.005 \vec{a}_x$ Telsa. (05 Marks)

OR

- 8 a. Define: i) Magnetization, ii) Permeability. (04 Marks)
 b. Find the magnetization in a magnetic material where
 i) $\mu = 1.8 \times 10^5$ (H/m) and 120 (A/m)
 ii) $\mu_r = 22$, there are 8.3×10^{28} atoms/m³ and each atom has a dipole moment of 4.5×10^{-27} (A/m²) and
 iii) $B = 300 \mu\text{T}$ and $\chi_m = 15$. (06 Marks)
 c. Discuss the boundary conditions at the interface between two media of different permeabilities. (06 Marks)

Module-5

- 9 a. State and explain Faraday's law of electromagnetic induction. (04 Marks)
 b. Find the frequency at which conduction current density and displacement current are equal in a medium with $\sigma = 2 \times 10^{-4}$ S/m and $\epsilon_r = 81$. (06 Marks)
 c. List Maxwell's equations in point form and integral form. (06 Marks)

OR

- 10 a. Obtain solution of the wave equation for a uniform plane wave in free space. (06 Marks)
 b. State and prove Poynting theorem. (06 Marks)
 c. The depth of penetration in a certain conducting medium is 0.1 m and the frequency of the electromagnetic wave is 1.0 MHz. Find the conductivity of the conducting medium. (04 Marks)

* * * * *

--	--	--	--	--	--	--	--	--	--

Third Semester B.E. Degree Examination, June/July 2017
Engineering Electromagnetics

Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions, choosing one full question from each module.

Module-1

- 1 a. State vector form of Coloumb's law of force between two point charges and indicate the units of the quantities in the equation. (04 Marks)
- b. Let a point charge $Q_1 = 25\text{nC}$ be located at $A(4, -2, 7)$ and charge $Q_2 = 60\text{nC}$ be at $B(-3, 4, -2)$. Find \vec{E} at $C(1, 2, 3)$ and find the direction of \vec{E} . (10 Marks)
- c. Define electric field intensity due to number of point charge in a vector form. (02 Marks)

OR

- 2 a. Derive an expression for the electric field intensity due infinite line charge. (06 Marks)
- b. Define electric flux density. Find \vec{D} in Cartesian co-ordinate system at a point $p(6, 8, -10)$ due to a point charge of 40mC at the origin and a uniform line charge of $\rho_L = 40\mu\text{C/m}$ on the z-axis. (10 Marks)

Module-2

- 3 a. State and prove Gauss law as applied to an electric field. (06 Marks)
- b. Given that $\vec{A} = 30e^{-r}\hat{a}_r - 2z\hat{a}_z$ in the cylindrical co-ordinates. Evaluate both sides of the divergence theorem for the volume enclosed by $r = 2, z = 0$ and $z = 5$. (10 Marks)

OR

- 4 a. Define the electric scalar potential. Derive an expression for potential due to point charge. (06 Marks)
- b. A point charge of 6nC is located at the origin in free space find potential of point P if P is located at $(0.2, -0.4, 0.4)$ and i) $V = 0$ at infinity ii) $V = 0$ at $(1, 0, 0)$ iii) $V = 20\text{V}$ at $(-0.5, 1, -1)$. (10 Marks)

Module-3

- 5 a. Starting with point form of Gauss law deduce Poisson's and Laplace's equation. (03 Marks)
- b. State and Prove uniqueness theorem (05 Marks)
- c. Find V at $(2, 1, 3)$ for the field of
- i) 2 co-axial conducting cylinders $V = 20\text{V}$ at $\rho = 3\text{m}$
- ii) 2 concentric conducting spheres $V = 50\text{V}$ at $r = 3\text{m}$ and $V = 20\text{V}$ at $r = 5\text{m}$. (08 Marks)

OR

- 6 a. State and explain Biot – Savart's law. (04 Marks)
- b. Evaluate both sides of the Stoke's theorem for the field $\vec{H} = 6xy\hat{a}_x - 3y^2\hat{a}_y$ A/m and the rectangular path around the region, $2 \leq x \leq 5, -1 \leq y \leq 1, z = 0$. Let the positive direction of \vec{ds} be \hat{a}_z . (08 Marks)

- c. At a point $p(x, y, z)$ the components of vector magnetic potential \vec{A} are given as $A_x = 4x + 3y + 2z$, $A_y = 5x + 6y + 3z$ and $A_z = 2x + 3y + 5z$. Determine \vec{B} at point P. (04 Marks)

Module-4

- 7 a. A point charge of $Q = -1.2C$ has velocity $\vec{V} = (5\hat{a}_x + 2\hat{a}_y - 3\hat{a}_z)$ m/s. Find the magnitude of the force exerted on the charge if
- $\vec{E} = -18\hat{a}_x + 5\hat{a}_y - 10\hat{a}_z$ V/m
 - $\vec{B} = -4\hat{a}_x + 4\hat{a}_y + 3\hat{a}_z$ T
 - Both are present simultaneously. (08 Marks)
- b. Derive an expression for the force on a differential current element placed in a magnetic field. (04 Marks)
- c. A conductor 4m long lies along the y-axis with a current of 10.0A in the \hat{a}_y direction. Find the force on the conductor if the field in the region is $\vec{B} = 0.005\hat{a}_x$ T. (04 Marks)

OR

- 8 a. If $\vec{B} = 0.05x\hat{a}_y$ T in a material for which $\chi_m = 2.5$. Find
- μ_r
 - μ
 - \vec{H}
 - \vec{M}
 - \vec{J}
 - \vec{J}_b
- (08 Marks)
- b. Write a on magnetic circuits (04 Marks)
- c. Write a note on forces on magnetic materials. (04 Marks)

Module-5

- 9 a. Explain Displacement current density and conduction current density. (04 Marks)
- b. List Maxwell's equations for steady and time varying fields in
- Point form
 - Integral form. (06 Marks)
- c. Do the fields $\vec{E} = E_m \sin x \sin t \hat{a}_y$ and $\vec{H} = \frac{E_m}{\mu_0} \cos x \cos t \hat{a}_z$ satisfy Maxwell's equations? (06 Marks)

UPIQPBANK.COM

OR

- 10 a. What is Forward travelling wave and Backward travelling wave in free space? (02 Marks)
- b. A uniform plane wave in free space is given by $E_s = 200 \angle 30^\circ \cdot e^{-j250z} \hat{a}_x$ V/m. Find β , w , f , λ , η , $|\vec{H}|$ (06 Marks)
- c. State and prove Poynting theorem (08 Marks)

--	--	--	--	--	--	--	--	--	--

Third Semester B.E. Degree Examination, Dec.2016/Jan.2017

Engineering Electromagnetics

Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Module-1

- 1 a. Point charges of 50 nano-coulomb each are located at A(1, 0, 0), B(-1, 0, 0), C(0, 1, 0) and D(0, -1, 0) in free space. Find the total force on the charge at A. (08 Marks)
- b. Define electric field intensity and electric flux density. (04 Marks)
- c. A uniform line charge of infinite length with $\rho_L = 40 \text{ nc/m}$ lies along z axis. Find \vec{E} at (-2, 2, 8) in air. (04 Marks)

OR

- 2 a. Derive the expression for electric field intensity due to infinite line charge. (08 Marks)
- b. Two particles having charges 2 nano-coulomb and 5 nano-coulomb are spaced 80 cm apart. Determine the electric field intensity at point "A" situated at a distance of 0.5 m from each of the two particles. Assume dielectric constant of 5. (08 Marks)

Module-2

- 3 a. Evaluate both sides of the divergence theorem for the field $\vec{D} = 2xy\hat{x} + x^2\hat{y} \text{ c/m}^2$ and the rectangular parallel piped formed by the planes $x = 0$ and 1, $y = 0$ and 2, and $z = 0$ and 3. (08 Marks)
- b. Derive the expression for equation of continuity. (06 Marks)
- c. Give the vector density $\vec{J} = 10\rho^2z\hat{\rho} - 4\rho\cos^2\phi\hat{\phi} \text{ mA/m}^2$. Determine the total current flowing outward through the circular band. $\rho = 3, 0 < \phi < 2\pi, 2 < z < 2.8$. (02 Marks)

OR

- 4 a. State and explain Gauss law in point form. (05 Marks)
- b. Given the electric field $\vec{E} = 2x\hat{x} - 4y\hat{y} \text{ v/m}$. Find the work done in moving a point charge +2C from (2, 0, 0,) to (0, 0, 0) and then form (0, 0, 0) to (0, 2, 0). (05 Marks)
- c. A potential field in free space is expressed as $V = \frac{60 \sin \theta}{r^2} \text{ v}$. Find the electric flux density at the point (3, 60°, 25°) in spherical co-ordinates. (06 Marks)

Module-3

- 5 a. State and explain uniqueness theorem. (08 Marks)
- b. Determine the magnetic field intensity \vec{H} at point P(0.4, 0.3, 0), if the 8A current in a conductor inward from infinity to origin on the x axis and outward to infinity along y axis. (08 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice.

OR

- 6 a. Find the potential and volume charge density at P(0.5, 1.5, 1)m in free space given the potential field $V = 6\rho\phi Z$ volts. (08 Marks)
- b. Explain the concepts of scalar and vector magnetic potential. (08 Marks)

Module-4

- 7 a. Derive an equation for the magnetic force between two differential current elements. (06 Marks)
- b. Find the magnetization in a material where : i) $\mu = 1.8 \times 10^{-5}$ H/m and $H = 120$ A/m
ii) $\mu_r = 22$. There are 8.3×10^{28} atom/m³ and each atom has a dipole moment of 4.5×10^{-27} A/m². iii) $B = 300$ μ T and $X_{on} = 15$. (06 Marks)
- c. A conductor 4m long lies along the y axis with a current of 10A in the \bar{a}_y direction. Find the force on the conductor if the field in the region is $\bar{B} = 0.005ax$ Tesla. (04 Marks)

OR

- 8 a. Find the expression for force on differential current element moving in a steady magnetic field. Deduce the result to a straight conductor in a uniform magnetic field. (08 Marks)
- b. For region 1, $\mu_1 = 4\mu$ H/m and for region 2, $\mu_2 = 6\mu$ H/m. The regions are separated by $z = 0$ plane. The surface current density at the boundary is $\bar{K} = 100ax$ A/m. Find \bar{B}_2 if $\bar{B}_1 = 2\hat{a}_x - 3\hat{a}_y + \hat{a}_z$ militesla for $z > 0$. (08 Marks)

Module-5

- 9 a. For the given medium $\epsilon = 4 \times 10^{-9}$ F/m and $\sigma = 0$. Find 'K' so that the following pair of fields satisfy Maxwell's equation :
 $\bar{E} = (20y - kt)\bar{a}_x$ v/m
 $\bar{H} = (y + 2 \times 10^6 t)\bar{a}_z$ A/m (08 Marks)
- b. A plane wave of 16 GHz frequency and $E = 10$ v/m propagates through the body of salt water having constants $\epsilon = 100$, $\mu_r = 1$ and $\sigma = 100$ S/m. Determine attenuation constant, phase shift, phase velocity and intrinsic impedance of the medium and depth of penetration. (08 Marks)

OR

- 10 a. State and explain Poynting theorem. (08 Marks)
- b. Find the amplitude of displacement current density in the free space within a large power distribution transformer where $\bar{H} = 10^6 \cos(377t + 1.2566 \times 10^{-6}z)\hat{a}_y$ A/m. (05 Marks)
- c. The depth of penetration in a conducting medium is 0.1m and the frequency of the electromagnetic wave is 1 MHz. Find the conductivity of the conducting medium. (03 Marks)

Third Semester B.E. Degree Examination, Dec.2016/Jan.2017
Engineering Electromagnetics

Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Module-1

- 1 a. Point charges of 50 nano-coulomb each are located at A(1, 0, 0), B(-1, 0, 0), C(0, 1, 0) and D(0, -1, 0) in free space. Find the total force on the charge at A. (08 Marks)
- b. Define electric field intensity and electric flux density. (04 Marks)
- c. A uniform line charge of infinite length with $\rho_L = 40 \text{ nc/m}$ lies along z axis. Find \vec{E} at (-2, 2, 8) in air. (04 Marks)

OR

- 2 a. Derive the expression for electric field intensity due to infinite line charge. (08 Marks)
- b. Two particles having charges 2 nano-coulomb and 5 nano-coulomb are spaced 80 cm apart. Determine the electric field intensity at point "A" situated at a distance of 0.5 m from each of the two particles. Assume dielectric constant of 5. (08 Marks)

Module-2

- 3 a. Evaluate both sides of the divergence theorem for the field $\vec{D} = 2xy \hat{a}_x + x^2 \hat{a}_y \text{ c/m}^2$ and the rectangular parallel piped formed by the planes $x = 0$ and 1, $y = 0$ and 2, and $z = 0$ and 3. (08 Marks)
- b. Derive the expression for equation of continuity. (06 Marks)
- c. Give the vector density $\vec{J} = 10\rho^2 z \hat{a}_\rho - 4\rho \cos^2 \phi \hat{a}_\phi \text{ mA/m}^2$. Determine the total current flowing outward through the circular band. $\rho = 3, 0 < \phi < 2\pi, 2 < z < 2.8$. (02 Marks)

OR

- 4 a. State and explain Gauss law in point form. (05 Marks)
- b. Given the electric field $\vec{E} = 2x \hat{a}_x - 4y \hat{a}_y \text{ v/m}$. Find the work done in moving a point charge +2C from (2, 0, 0,) to (0, 0, 0) and then from (0, 0, 0) to (0, 2, 0). (05 Marks)
- c. A potential field in free space is expressed as $V = \frac{60 \sin \theta}{r^2} \text{ v}$. Find the electric flux density at the point (3, 60°, 25°) in spherical co-ordinates. (06 Marks)

Module-3

- 5 a. State and explain uniqueness theorem. (08 Marks)
- b. Determine the magnetic field intensity \vec{H} at point P(0.4, 0.3, 0), if the 8A current in a conductor inward from infinity to origin on the x axis and outward to infinity along y axis. (08 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
 2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice.

OR

- 6 a. Find the potential and volume charge density at P(0.5, 1.5, 1)m in free space given the potential field $V = 6\rho\phi Z$ volts. (08 Marks)
 b. Explain the concepts of scalar and vector magnetic potential. (08 Marks)

Module-4

- 7 a. Derive an equation for the magnetic force between two differential current elements. (06 Marks)
 b. Find the magnetization in a material where : i) $\mu = 1.8 \times 10^{-5}$ H/m and $H = 120$ A/m
 ii) $\mu_r = 22$. There are 8.3×10^{28} atom/m³ and each atom has a dipole moment of 4.5×10^{-27} A/m². iii) $B = 300$ μ T and $X_{on} = 15$. (06 Marks)
 c. A conductor 4m long lies along the y axis with a current of 10A in the \hat{a}_y direction. Find the force on the conductor if the field in the region is $\vec{B} = 0.005\hat{a}_x$ Tesla. (04 Marks)

OR

- 8 a. Find the expression for force on differential current element moving in a steady magnetic field. Deduce the result to a straight conductor in a uniform magnetic field. (08 Marks)
 b. For region 1, $\mu_1 = 4\mu$ H/m and for region 2, $\mu_2 = 6\mu$ H/m. The regions are separated by $z = 0$ plane. The surface current density at the boundary is $\vec{K} = 100\hat{a}_x$ A/m. Find \vec{B}_2 if $\vec{B}_1 = 2\hat{a}_x - 3\hat{a}_y + \hat{a}_z$ militesla for $z > 0$. (08 Marks)

Module-5

- 9 a. For the given medium $\epsilon = 4 \times 10^{-9}$ F/m and $\sigma = 0$. Find 'K' so that the following pair of fields satisfy Maxwell's equation :
 $\vec{E} = (20y - kt)\hat{a}_x$ v/m (08 Marks)
 $\vec{H} = (y + 2 \times 10^6 t)\hat{a}_z$ A/m
 b. A plane wave of 16 GHz frequency and $E = 10$ v/m propagates through the body of salt water having constants $\epsilon = 100$, $\mu_r = 1$ and $\sigma = 100$ S/m. Determine attenuation constant, phase shift, phase velocity and intrinsic impedance of the medium and depth of penetration. (08 Marks)

OR

- 10 a. State and explain Poynting theorem. (08 Marks)
 b. Find the amplitude of displacement current density in the free space within a large power distribution transformer where $\vec{H} = 10^6 \cos(377t + 1.2566 \times 10^{-6}z)\hat{a}_y$ A/m. (05 Marks)
 c. The depth of penetration in a conducting medium is 0.1m and the frequency of the electromagnetic wave is 1 MHz. Find the conductivity of the conducting medium. (03 Marks)
