

PHYSICS

51. Two quantities A and B are related by the relation $A/B = m$ where m is linear mass density and A is force. The dimensions of B will be
- (1) same as that of latent heat (2) same as that of pressure
 (3) same as that of work (4) same as that of momentum
52. The dimensional formula of capacitance in terms of M, L, T and I is
- (1) $[ML^2T^2I^2]$ (2) $[ML^{-2}T^4I^2]$ (3) $[M^{-1}L^3T^3I]$ (4) $[M^{-1}L^{-2}T^4I^2]$
53. If l , m and n are the direction cosines of a vector, then
- (1) $l + m + n = 1$ (2) $l^2 + m^2 + n^2 = 1$ (3) $\frac{1}{l} + \frac{1}{m} + \frac{1}{n} = 1$ (4) $lmn = 1$
54. The angle between $i+j$ and $j+k$ is
- (1) 0° (2) 90° (3) 45° (4) 60°
55. A particle is moving eastwards with a velocity of 5 ms^{-1} . In 10 seconds the velocity changes to 5 ms^{-1} northwards. The average acceleration in this time is
- (1) $\frac{1}{\sqrt{2}} \text{ ms}^{-2}$ towards north-west (2) zero
 (3) $\frac{1}{2} \text{ ms}^{-2}$ towards north (4) $\frac{1}{\sqrt{2}} \text{ ms}^{-2}$ towards north-east
56. The linear momentum of a particle varies with time t as $p = a + bt + ct^2$ which of the following is correct?
- (1) Force varies with time in a quadratic manner.
 (2) Force is time-dependent.
 (3) The velocity of the particle is proportional to time.
 (4) The displacement of the particle is proportional to t .
57. A shell of mass m moving with a velocity v suddenly explodes into two pieces. One part of mass $m/4$ remains stationary. The velocity of the other part is
- (1) v (2) $2v$ (3) $3v/4$ (4) $4v/3$

58. The velocity of a freely falling body after 2s is
 (1) 9.8 ms^{-1} (2) 10.2 ms^{-1} (3) 18.6 ms^{-1} (4) 19.6 ms^{-1}
59. A large number of bullets are fired in all directions with the same speed u . The maximum area on the ground on which these bullets will spread is
 (1) $\frac{\pi u^2}{g^2}$ (2) $\frac{\pi u^4}{g^2}$ (3) $\frac{\pi u^2}{g^4}$ (4) $\frac{\pi u}{g^4}$
60. The minimum stopping distance for a car of mass m , moving with a speed v along a level road, if the coefficient of friction between the tyres and the road is μ , will be
 (1) $\frac{v^2}{2\mu g}$ (2) $\frac{v^2}{\mu g}$ (3) $\frac{v^2}{4\mu g}$ (4) $\frac{v}{2\mu g}$
61. When a bicycle is in motion, the force of friction exerted by the ground on the two wheels is such that it acts
 (1) In the backward direction on the front wheel and in the forward direction on the rear wheel
 (2) In the forward direction on the front wheel and in the backward direction on the rear wheel
 (3) In the backward direction on both the front and the rear wheels
 (4) In the forward direction on both the front and the rear wheels
62. In a perfectly inelastic collision, the two bodies
 (1) strike and explode (2) explode without striking
 (3) implode and explode (4) combine and move together
63. Under the action of a constant force, a particle is experiencing a constant acceleration, then the power is
 (1) zero (2) positive
 (3) negative (4) increasing uniformly with time

Set Code : **T2**

Booklet Code : **A**

64. Consider the following two statements:
 A: Linear momentum of a system of particles is zero.
 B: Kinetic energy of a system of particles is zero.
 Then
 (1) A implies B & B implies A (2) A does not imply B & B does not imply A
 (3) A implies B but B does not imply A (4) A does not imply B but B implies A
65. An engine develops 10 kW of power. How much time will it take to lift a mass of 200 kg to a height of 40 m? (Given $g = 10 \text{ ms}^{-2}$)
 (1) 4s (2) 5s (3) 8s (4) 10s
66. If a spring has time period T , and is cut into n equal parts, then the time period will be
 (1) $T\sqrt{n}$ (2) $\frac{T}{\sqrt{n}}$ (3) nT (4) T
67. When temperature increases, the frequency of a tuning fork
 (1) increases
 (2) decreases
 (3) remains same
 (4) increases or decreases depending on the materials
68. If a simple harmonic motion is represented by $\frac{d^2x}{dy^2} + \alpha x = 0$, its time period is
 (1) $2\pi\sqrt{\alpha}$ (2) $2\pi\alpha$ (3) $\frac{2\pi}{\sqrt{\alpha}}$ (4) $\frac{2\pi}{\alpha}$
69. A cinema hall has volume of 7500 m^3 . It is required to have reverberation time of 1.5 seconds. The total absorption in the hall should be
 (1) 850 w-m^2 (2) 82.50 w-m^2 (3) 8.250 w-m^2 (4) 0.825 w-m^2

70. To absorb the sound in a hall which of the following are used
 (1) Glasses, stores (2) Carpets, curtains
 (3) Polished surfaces (4) Platforms
71. If N represents avagadro's number, then the number of molecules in 6 gm of hydrogen at NTP is
 (1) $2N$ (2) $3N$ (3) N (4) $N/6$
72. The mean translational kinetic energy of a perfect gas molecule at the temperature T K is
 (1) $\frac{1}{2}kT$ (2) kT (3) $\frac{3}{2}kT$ (4) $2kT$
73. The amount of heat given to a body which raises its temperature by 1°C
 (1) water equivalent (2) thermal heat capacity
 (3) specific heat (4) temperature gradient
74. During an adiabatic process, the pressure of a gas is found to be proportional to the cube of its absolute temperature. The ratio C_p/C_v for gas is
 (1) $\frac{3}{2}$ (2) $\frac{4}{3}$ (3) 2 (4) $\frac{5}{3}$
75. Cladding in the optical fiber is mainly used to
 (1) to protect the fiber from mechanical stresses
 (2) to protect the fiber from corrosion
 (3) to protect the fiber from mechanical strength
 (4) to protect the fiber from electromagnetic guidance

CHEMISTRY

76. The valency electronic configuration of Phosphorous atom (At.No. 15) is
 (1) $3s^2 3p^3$ (2) $3s^1 3p^3 3d^1$ (3) $3s^2 3p^2 3d^1$ (4) $3s^1 3p^2 3d^2$
77. An element 'A' of At.No.12 combines with an element 'B' of At.No.17. The compound formed is
 (1) covalent AB (2) ionic AB_2 (3) covalent AB_2 (4) ionic AB
78. The number of neutrons present in the atom of ${}_{56}\text{Ba}^{137}$ is
 (1) 56 (2) 137 (3) 193 (4) 81
79. Hydrogen bonding in water molecule is responsible for
 (1) decrease in its freezing point (2) increase in its degree of ionization
 (3) increase in its boiling point (4) decrease in its boiling point
80. In the HCl molecule, the bonding between hydrogen and chlorine is
 (1) purely covalent (2) purely ionic (3) polar covalent (4) complex coordinate
81. Potassium metal and potassium ions
 (1) both react with water (2) have the same number of protons
 (3) both react with chlorine gas (4) have the same electronic configuration
82. 5.85 gms of sodium chloride were dissolved in water and the solution made upto 100 ml in a standard flask. 10 ml of this solution were pipetted out into another flask and made up with distilled water into 100 ml of solution. The concentration of the sodium chloride solution now is
 (1) 0.1 M (2) 1.0 M (3) 0.5 M (4) 0.25 M
83. Concentration of a 1.0 M solution of phosphoric acid in water is
 (1) 0.33 N (2) 1.0 N (3) 2.0 N (4) 3.0 N
84. Which of the following is a Lewis acid?
 (1) Ammonia (2) Beryllium chloride
 (3) Boron trifluoride (4) Magnesium oxide

85. Which of the following constitutes the components of a buffer solution?
 (1) Potassium chloride and potassium hydroxide
 (2) Sodium acetate and acetic acid
 (3) Magnesium sulphate and sulphuric acid
 (4) Calcium chloride and calcium acetate
86. Which of the following is an electrolyte?
 (1) Acetic acid (2) Glucose (3) Urea (4) Pyridine
87. Calculate the Standard emf of the cell, $\text{Cd}/\text{Cd}^{2+}/\text{Cu}^{2+}/\text{Cu}$ given that $E^\circ \text{Cd}/\text{Cd}^{2+} = 0.44\text{V}$ and $E^\circ \text{Cu}/\text{Cu}^{2+} = (-) 0.34\text{V}$.
 (1) $(-) 1.0\text{V}$ (2) 1.0V (3) $(-) 0.78\text{V}$ (4) 0.78V
88. A solution of nickel chloride was electrolysed using Platinum electrodes. After electrolysis,
 (1) nickel will be deposited on the anode (2) Cl_2 gas will be liberated at the cathode
 (3) H_2 gas will be liberated at the anode (4) nickel will be deposited on the cathode
89. Which of the following metals will undergo oxidation fastest?
 (1) Cu (2) Li (3) Zinc (4) Iron
90. Which of the following cannot be used for the sterilization of drinking water?
 (1) Ozone (2) Calcium Oxychloride
 (3) Potassium Chloride (4) Chlorine water
91. A water sample showed it to contain 1.20 mg/litre of magnesium sulphate. Then, its hardness in terms of calcium carbonate equivalent is
 (1) 1.0 ppm (2) 1.20 ppm (3) 0.60 ppm (4) 2.40 ppm
92. Soda used in the L-S process for softening of water is, Chemically.
 (1) sodium bicarbonate (2) sodium carbonate decahydrate
 (3) sodium carbonate (4) sodium hydroxide (40%)
93. The process of cementation with zinc powder is known as
 (1) sherardizing (2) zincing (3) metal cladding (4) electroplating

94. Corrosion of a metal is fastest in
 (1) rain-water (2) acidulated water (3) distilled water (4) de-ionised water
95. Which of the following is a thermoset polymer?
 (1) Polystyrene (2) PVC
 (3) Polythene (4) Urea-formaldehyde resin
96. Chemically, neoprene is
 (1) polyvinyl benzene (2) polyacetylene
 (3) polychloroprene (4) poly-1,3-butadiene
97. Vulcanization involves heating of raw rubber with
 (1) selenium element (2) elemental sulphur
 (3) a mixture of Se and elemental sulphur (4) a mixture of selenium and sulphur dioxide
98. Petrol largely contains
 (1) a mixture of unsaturated hydrocarbons $C_5 - C_8$
 (2) a mixture of benzene, toluene and xylene
 (3) a mixture of saturated hydrocarbons $C_{12} - C_{14}$
 (4) a mixture of saturated hydrocarbons $C_6 - C_8$
99. Which of the following gases is largely responsible for acid-rain?
 (1) SO_2 & NO_2 (2) CO_2 & water vapour
 (3) CO_2 & N_2 (4) N_2 & CO_2
100. BOD stands for
 (1) Biogenetic Oxygen Demand (2) Biometric Oxygen Demand
 (3) Biological Oxygen Demand (4) Biospecific Oxygen Demand

COMPUTER SCIENCE AND ENGINEERING

101. Which of the following is the first integrated logic family?
 (1) ECL (2) TTL (3) RIL (4) MOS
102. What is the approximate worst-case noise margin in TTL logic circuit?
 (1) 400 mV (2) 1 V (3) 1 mV (4) 100 mV
103. Which of the following is the fastest integrated logic family?
 (1) ECL (2) TTL (3) DTL (4) CMOS
104. When is that the NAND logic gate can function as a NOT logic gate?
 (1) One input is set to '0' (2) One input is set to '1'
 (3) Inputs are left open (4) Inputs are connected together
105. What logic function is produced when an inverter is added to each input and the output of an AND gate?
 (1) NAND (2) XOR (3) OR (4) NOR
106. What is the simplified form of the given Boolean expression: $(X + Y + XY)(X + Z)$?
 (1) $X + Y + Z$ (2) $XY + YZ$ (3) $X + YZ$ (4) $XZ + Y$
107. Give the effective combination for a Master slave flip-flop:
 (1) An SR flip-flop and a D flip-flop (2) An SR flip-flop and a T flip-flop
 (3) A T flip-flop and a D flip-flop (4) Two T flip-flops
108. How many flip-flops are required to divide the input frequency by 64?
 (1) 4 (2) 5 (3) 6 (4) 7
109. Which is the first microprocessor introduced by the Intel Corporation?
 (1) 2002 (2) 4004 (3) 8008 (4) 8080
110. The 8086 microprocessor has a _____ bit data bus and a _____ bit address bus.
 (1) 8, 8 (2) 8, 16 (3) 16, 16 (4) 16, 20

111. 8086 has a _____ bytes queue.
 (1) 4 (2) 6 (3) 8 (4) 16
112. The registers which are used for the address calculations in based indexed addressing mode are _____.
 (1) BP & SI (2) BP & DI (3) BX & SI (4) BX/BP & SI/DI
113. Which of the following instruction is used for unconditional jump?
 (1) JMP (2) JUMP (3) JZ (4) GO
114. How is the implementation of the control section of Intel 8086 microprocessor done?
 (1) Using microprogramming
 (2) Using nanoprogramming
 (3) It is a combination of Microprogramming and Hard-wired designs
 (4) Using hard-wired control in a random manner
115. How many conditional flags are available in 80486?
 (1) 6 (2) 8 (3) 10 (4) 16
116. What address instructions are used by a Stack?
 (1) Zero (2) One (3) Two (4) Three
117. Which is the addressing mode where the operand is specified within the instruction?
 (1) Direct (2) Indirect (3) Immediate (4) Register
118. EDRAM indicates _____.
 (1) Extended DRAM (2) Enhanced DRAM
 (3) Electronic DRAM (4) Electrical DRAM
119. Which of the following matches better with DMA I/O?
 (1) High Speed RAM (2) Printer
 (3) ALU (4) Disk