



## I B. Tech II Semester Supplementary Examinations, April/May - 2019 ENGINEERING MECHANICS

(Com. to ECE, EEE, EIE, Bio-Tech, E Com E, Agri E)

Time: 3 hours

2.

Max. Marks: 70

- Note: 1. Question Paper consists of two parts (Part-A and Part-B)
  - 2. Answering the question in **Part-A** is Compulsory
  - 3. Answer any **THREE** Questions from **Part-B**

## PART –A

- 1. a) Explain the reason for the development of frictional force between the two (4M) surfaces in contact.
  - b) State the conditions of equilibrium for concurrent forces in space. (4M)c) Can Centroid of a volume coincide with the Centroid of its cross-section? (4M)Explain. d) Define radius of gyration for mass moment of inertia. (3M)Write the kinematic relations for two rotating rigid bodies in contact. e) (4M) State the Work- Energy principle. f) (3M) **PART**-B Two unequal forces acting at a point at an angle of  $150^{\circ}$  have a resultant, which is a) (7M)perpendicular to the smaller force. The larger force is 24N. Find the smaller force and the resultant. b) Two blocks having weights (9M)  $W_1$  and  $W_2$  are connected by a string and rest on horizontal planes as shown in figure. If the angle of friction for each block is α, find the magnitude pippbank .com and the direction of the least W,  $\beta_{\overline{nnnnnnn}}$ force P applied to the upper block that will induce sliding.
- 3. a) A cylinder of weight 300N is held in equilibrium as shown in figure. Determine (8M) the tension in the string AD and reactions at B and C. Given that AE=750mm and AC=500mm. Assume that the surfaces are smooth. Bar AE is massless.



Code No: R13210





(8M)

b) Two cylinders A and B of diameters 3cm and 6cm, weighing 20kN and 80kN respectively, are placed as shown in figure. Assuming all the contact surfaces to be smooth, find the reactions at the walls.





b) Determine the mass moment of inertia of a thin triangular plate of altitude h and (8M) mass m about its base.



Code No: R13210





6. a) A ball is thrown vertically (8M) upwards with an initial velocity of 20m/s from the top of a building of 30m height. Determine i) the maximum height reached by the ball, ii) the time taken to reach the maximum height, 30 m iii) the velocity of the ball as it crosses the top of the building during its downward journey, iv) the time taken to rssgroup.com hit the ground and the corresponding velocity. b) Two cars, A and B, start from rest at the same instant, with the car A initially (8M) trailing at some distance behind the car B. The uniform accelerations of the cars A and B respectively 3m/s<sup>2</sup> and 2m/s<sup>2</sup>. If the car A overtake the car B, when B has moved 200m, i) determine the time taken to overtake, ii) how far was the car A behind B initially, iii) determine the speed of each car at that instant. a) Derive work energy method. 7. (10M)b) Write a brief note on Fixed axis rotation system. (6M)www.upiqpbank.com